

4D Sketch Sparkeling Purse Size 26,5 x 16,5 cm(101/2 x 61/2 inches)

You need

 55×20 cm (22 x 8 inches)green velvet

 55×90 cm (22 × 35 inches)matching lining fabric

 12×4 cm $(5 \times 2$ inches)matching silk fabric

75 x 20 cm (30 x 8 inches)interfacing volume

1 sheet printable fabric Inspira color plus cotton lawn, 6200040-96



Invisible zipper 25 cm (10 inch)

Embroidery tear away stabilizer

Matching sewing thread

Machine embroidery thread

2 Metallic rings

2 eyelets 5 mm€ (1/2 inch €)

Ink jet printer

Swarovski crystals

Embroidery hoop 225x140

Cutting

include 1 cm (3/8 inches)seam allowance

Green velvet cut 2,each $26.5 \times 16.5 \text{ cm} (101/2 \times 6 \frac{1}{2} \text{ inches})$

Lining cut 2,each 26,5 x 16.5 cm ($101/2 \times 6 \frac{1}{2}$ inches)

Interfacing volume cut 2,each 26,5 x 16.5 cm ($101/2 \times 6 \frac{1}{2}$ inches)

Lining(flap) cut 1, 16×15.5 cm $(6 \times 6 \frac{1}{2})$ inches),

cut 1, 16 x 5 cm (6 x 2 inches)

Printable fabric cut 1, $16 \times 15,5$ cm ($6 \times 6 \frac{1}{2}$ inches) follow the edges of the

printed design with 1 cm (3/8 inches) seam allowance

Lining(zipper) cut 4, 5×20 , 5 cm ($2 \times 8 \text{ inches}$)

cut 2, 4×10 cm (1 $\frac{1}{2} \times 4$ inches)

Interfacing volume(zipper) cut 4, 5 x 20,5 cm (2 x 8 inches)

Lining(ribbons) cut 2, $40 \times 4 \text{ cm} (16 \times 1 \frac{1}{2} \text{ inch})$

Green silk(flaplock) cut 2, 6×5 cm (2 $\frac{1}{2} \times 2$ inch)

Hooping/embroidering

Print 1 copy of the picture on the printable fabric in a ink jet printer.

Hoop a tear away stabilizer. The first color is large cross-stitches that you embroider on the stabilizer, this will be an aid for you to position the fabric right. Place the picture on top of the stabilizer. To check if you have positioned the fabric right use the step stitch-by-stitch function on your embroidery machine, and step forward to the center of the first alignment cross.

Compare the needle position to the position of the cross on the plan view. If they do not match, use the position buttons on the machine to move the needle to the correct position. Step forward to the other crosses in the same way. If you have a 2170, 2144 or a 2140 you can use the precise positioning to position the fabric right. When you have placed the picture according to the plan view, baste it in the hoop.

When the alignment is correct, select the next color in the embroidery and start to stitch out the embroidery. Use colors according to the color scheme. When the embroidery is finished take it out from the hoop. Cut clean the jump stitches. Cut with a 1cm(3/8inch) seam allowance around the 4D Sketch embroidered piece for the purseflap. Press. (Note: If you keep the tear away stabilizer it will give you a more stabile flap.)

Preparation

Press fusible interfacing volume at the wrong side of the green velvet pieces.

Press fusible interfacing volume on the wrong side of the zipper lining pieces.

Optional: Press fusible interfacing on the front piece of the flap if you like a more stabile flap. Press fusible interfacing on the green silk ribbons flaplock.

Sewing

Flap

Pin the embroidered piece and the small lining flap piece wrong side together. Stitch using a straight stitch. Press.

Fold the green silk ribbons in half lengthways, pin and stitch using a straight stitch. Turn inside out by the help with a fast turn. Press.

Fold one of the green silk ribbons around the two metallic rings. Pin it in the middle of the bottom of the embroidered piece. Pin the back and front pieces of the flap wrong sides together and stitch a straight stitch. Leave the top open. Turn inside out make sure to cut the corners before. Press.

Stitch a straight stitch in the ditch between the embroidered piece and the small lining flap piece using Narrow edge foot , 820217-096. Press.

Purse

Pin the other green silk ribbon in the middle of the green velvet front piece.

Pin the green velvet pieces wrong sides together. Stitch a straight stitch. Leave top open.

With the bag wrong sides out, fold the sides of the bag to be over the bottom fold of the bag.

Measure 1,5 cm(1/2 inch)from the point and sew a straight line across the bag. (Picture 1 and 2) This seam allowance will give you a corner that is 3 cm (1 inch) wide.





Turn inside out. Press.

Lining

Pin right sides together. Stitch with a straight stitch. Leave top open. Leave a 15 cm (6inch) open gap in the bottom.

With the bag wrong sides out, fold the sides of the bag to be over the bottom fold of the bag.

Measure 1.5 cm (1/2 inch) from the point and sew a straight line across the bag.

Put the velvet purse inside the lining purse with right sides together. Pin the top make sure corner matches. Stitch a straight stitch. Turn inside out. Press.

Zipper

Open the zipper and flatten the coil slightly with your thumb, so that the seam line between the tape and the coil becomes visible. Place the right half of the zipper onto one of the lining zipper pieces, with right sides together. The coil should lie directly on the seam line, starting about 1 ½ to 2 cm (5/8 to 3/4 inch) below the upper edge of the fabric. Make sure the bottom end of the zipper extends 2 to 3 cm (3/4 to 1 ¼ inch) beyond the bottom end of the opening. Place another lining zipper piece on top of the zipper to create a stack. Pin in place, if desired. Carefully press the teeth slightly to the right and lower the zipper foot, so that the coil lies in the groove to the right of the needle. Sew the zipper in place. Close the zipper.

Place the left side of the zipper onto the third lining zipper piece. Make sure both coils are level. Place the last lining zipper piece on top of the zipper tape to create a stack. Pin the zipper in place. Open the zipper.

Carefully press the teeth to the left and lower the zipper foot, so that the coil lies in the groove to the left of the needle. Sew the zipper in place. Press. Close the zipper.

Sew over the end of the coil with a straight stitch or a closely spaced zigzag stitch, approx. 1 cm(1/2 inch) below the bottom end of the opening. Cut of the excess zipper.

Finish the raw edges with the small lining zipper pieces. Pin the pieces on each end of the zipper right sides together. Stitch a straight stitch with 1 cm (1/2 inch)seam allowance.



Fold the end piece towards the wrong side of the zipper. Press. Fold the raw edge on the small lining zipper piece 1 cm (1/2 inch). Press. Fold the small lining zipper piece so it covers the raw edge of the zipper nicely. Pin and press. Stitch in place with a straight stitch. Repeat on other end. Press.

Pull out the lining from the green velvet bag. Place the zipper lining piece wrong side to right side on the back lining piece. Place the zipper lining piece as close as you can to the right, approx. 8 mm (3/4 inch) to the sideseam and 4 cm ($1\frac{1}{2}$ inch) gap on the left side. Pin and stitch a straight stitch with 5mm (3/8 inch) seam allowance.



Fold the lining zipper piece back on itself which gives you right sides together. Pin and stitch a straight stitch with 1 cm(1/2 inch) seam allowance. Make sure you cover the raw edge from previous step.



Flap

Place the flap right side up in the center of the backpiece with the raw edge towards the bottom of the green velvet. Pin and stitch a straight stitch with 5 mm (3/8inch) seam allowance. Sew only in the green velvet.





Fold the flap back on itself which gives you wrong side up. Press. Pin and stitch a straight stitch with 1 cm (1/2 inch) seam allowance. Make sure you cover the raw edge from previous step.





Finish zipper

Pull out the lining from the green velvet bag. Place the zipper lining piece wrong side to right side on the front lining piece. Make sure both coils are level. Pin and stitch a straight stitch with 5mm(3/8 inch) seam allowance.



Fold the lining zipper piece back on itself which gives you right sides together. Pin and stitch a straight stitch with 1 cm(1/2 inch) seam allowance. Make sure you cover the raw edge from previous step. Press.





Decorative ribbons

Fold the lining ribbons in half lengthways, press and pin. Stitch using a straight stitch. Turn inside out by the help with a fast turn. Press.

Eyelets

Mark in the topleft corner of the purse where to punch your eyelet. Make sure it isn't to close to the corner. Approx. 1 ½ cm(1/2 inch)from both edges. Pierce two eyelets, front and backside of purse.

Fold the ribbons in half and pull them through the eyelets. Bring the end of the ribbons through the loop of the other end. Pull.



Make your purse sparkeling with Swarovski Hot-Fix Embellishments.

